

Index

- Absolute error loss, 86
- Absolutely continuous
 - function, 91
 - random variable, 116, 239
- Addition of matrices, 29
- Adjoint, 34
- Adjugate, 34
- Admissible estimator, 86
- Approximation of
 - density functions, 456
 - functions, 403, 495
 - integrals, 517, 533
 - normal integral, 460, 469
 - quantiles of distributions, 456, 458, 468
- Arcsin x , 6, 78
- Asymptotically equal, 66, 147
- Asymptotic distributions, 120
- Average squared bias, 360, 431
- Average variance, 360, 400

- Balanced mixed model, 43
- Behrens–Fisher test, 324
- Bernoulli sequence, 14
- Bernstein polynomial, 406, 410
- Best linear unbiased estimator, 312
- Beta function, 256
- Bias, 359, 360
 - criterion, 359, 366
 - in the model, 359, 366
- Biased estimator, 196
- Binomial distribution, 194
- Binomial random variable, 14, 203
- Bolzano–Weierstrass theorem, 11
- Borel field, 13
- Boundary, 262, 297
 - point, 262
- Bounded sequence, 132, 262
- Bounded set, 9, 13, 72, 262

- Bounded variation, function of, 210, 212
- Bounds on eigenvalues, 41
- Box and Cox transformation, 120
- Box–Draper determinant criterion, 400
- Box–Lucas criterion, 368, 422, 424–425

- Calibration, 242
- Canonical correlation coefficient, 56
- Cartesian product, 3, 21
- Cauchy criterion, 137, 221
- Cauchy distribution, 240
- Cauchy–Schwarz inequality, 25, 229
- Cauchy sequence, 138, 222
- Cauchy’s condensation test, 153
- Cauchy’s mean value theorem, 103, 105, 129
- Cauchy’s product, 163
- Cauchy’s test, 149
- Cell, 294
- Center-point replications, 400
- Central limit theorem, 120, 516
- Chain rule, 97, 116
- Change of variables, 219, 299
- Characteristic equation, 37
- Characteristic function, 505
 - inversion formula for, 507
- Characteristic root, 36
- Characteristic vector, 37
- Chebyshev polynomials, 415, 444
 - discrete, 462
 - of the first kind, 444
 - of the second kind, 445
 - zeros of, 415, 444
- Chebyshev’s inequality, 19, 184, 251, 259
- Chi-squared random variable, 246
- Christoffel’s identity, 443
- Closed set, 11–13, 72, 262
- Coded levels, 347
- Coefficient of variation, 242

- Cofactor, 31, 357
- Compact set, 13
- Comparison test, 144
- Complement of a set, 2
 - relative, 2
- Composite function, 6, 97, 265, 276
- Concave function, 79
- Condition number, 47
- Confidence intervals, simultaneous, 382, 384, 388
- Consistent estimator, 83
- Constrained maximization, 329
- Constrained optimization, 288
- Constraints, equality, 288
- Continuous distribution, 14, 82
- Continuous function, 66, 210, 264
 - absolutely, 91
 - left, 68
 - piecewise, 481, 486, 489, 498
 - right, 68, 83
- Continuous random variable, 14, 82, 116, 239
- Contrast, 384
- Controlled random search procedure, 336, 426
- Convergence
 - almost surely, 192
 - in distribution, 120
 - in probability, 83, 191
 - in quadratic mean, 191
- Convex function, 79, 84, 98
- Convex set, 79
- Convolution, 499
- Cornish–Fisher expansion, 460, 468
- Correlation coefficient, 311
- Countable set, 6
- Covering of a set, 12
 - open, 12
- Cubic spline regression model, 430
- Cumulant generating function, 189
- Cumulants, 189, 459
- Cumulative distribution function, 14, 82, 304
 - joint, 14
- Curvature, in response surface, 342
- Cylindrical data, 505

- d’Alembert’s test, 148
- Davidon–Fletcher–Powell method, 331
- Deleted neighborhood, 57, 262
- Density function, 14, 116, 239, 304
 - approximation of, 456
 - bivariate, 305
 - marginal, 304
- Derivative, 93
 - directional, 273
 - partial, 267
 - total, 270
- Design
 - A -optimal, 365
 - approximate, 363
 - Box–Behnken, 359
 - center, 344, 356
 - central composite, 347, 353, 358, 400
 - dependence of, 368–369, 422
 - D -optimal, 363, 365, 369
 - efficiency of, 365
 - E -optimal, 365
 - exact, 363
 - first-order, 340, 356, 358
 - G -optimal, 364
 - Λ_1 -optimal, 399
 - matrix, 356
 - measure, 362–363, 365
 - moments, 362
 - nonlinear model, 367
 - optimal, 362, 425
 - orthogonal, 358
 - parameter-free, 426
 - Plackett–Burman, 358
 - points, 353, 360
 - response surface, 339, 355, 359
 - rotatable, 350, 356
 - second-order, 344, 358
 - 3^k factorial, 358
 - 2^k factorial, 340, 358
- Design measure
 - continuous, 362
 - discrete, 363, 366
- Determinant, 31
 - Hessian, 276
 - Jacobian, 268
 - Vandermonde’s, 411
- DETMEX algorithm, 366
- Diagonalization of a matrix, 38
- Differentiable function, 94, 113
- Differential operator, 277
- Differentiation under the integral sign, 301
- Directional derivative, 273
- Direct product, 30, 44
- Direct search methods, 332
- Direct sum
 - of matrices, 30
 - of vector subspaces, 25
- Discontinuity, 67
 - first kind, 67
 - second kind, 67
- Discrete distribution, 14
- Discrete random variable, 14, 182

- Disjoint sets, 2
- Distribution
 - binomial, 194
 - Cauchy, 240
 - chi-squared, 245
 - continuous, 14, 82
 - discrete, 14
 - exponential, 20, 91, 131
 - F , 383–384
 - gamma, 251
 - hypergeometric, 463
 - logarithmic series, 193
 - logistic, 241
 - marginal, 304
 - multinomial, 325
 - negative binomial, 182, 195
 - normal, 120, 306, 311, 400
 - Pearson Type IV, 503
 - Poisson, 119, 183, 204
 - power series, 193
 - t , 259
 - truncated Poisson, 373
 - uniform, 83, 92, 116, 250
- Domain of a function, 5
- Dot product, 23
- Eigenvalues, 36–37
- Eigenvectors, 37
- EM algorithm, 372, 375
- Empty set, 1
- Equal in distribution, 15
- Equality of matrices, 28
- Equivalence class, 4
- Equivalence theorem, 365
- Equivalent sets, 5
- Error loss
 - absolute, 86
 - squared, 86
- Estimable linear function, 45, 382, 387
- Estimation of unknown densities, 461
- Estimator
 - admissible, 86
 - best linear unbiased, 312
 - biased, 196
 - consistent, 83
 - least absolute value, 327
 - M , 327
 - minimax, 86
 - minimum norm quadratic unbiased, 380
 - minimum variance quadratic unbiased, 382
 - quadratic, 379
 - ridge, 56, 196
- Euclidean norm, 24, 42, 179, 261
- Euclidean space, 21
- Euler's theorem, 317
- Event, 13
- Exchangeable random variables, 15
- Exponential distribution, 20, 91, 131
- Extrema
 - absolute, 113
 - local, 113
- Factorial moment, 191
- Failure rate, 130
- F distribution, 383–384
- Fisher's method of scoring, 374
- Fixed effects, 44
- Fourier
 - coefficients, 472
 - integral, 488
 - transform, 497, 507
- Fourier series, 471
 - convergence of, 475
 - differentiation of, 483
 - integration of, 483
- Fubini's theorem, 297
- Function, 5
 - absolutely continuous, 91
 - bounded, 65, 72
 - bounded variation, 210, 212
 - composite, 6, 97, 265, 276
 - concave, 79
 - continuous, 67, 210, 264
 - convex, 79, 84, 98
 - differentiable, 94, 113
 - homogeneous, 317
 - implicit, 273
 - inverse, 6, 76, 102
 - left continuous, 68
 - limit of, 57
 - Lipschitz continuous, 75, 409
 - loss, 86
 - lower semicontinuous, 90
 - monotone, 76, 101, 116, 210
 - multivariable, 261
 - one-to-one, 5
 - onto, 5
 - periodic, 473, 489, 504
 - Riemann integrable, 206, 210, 215
 - Riemann–Stieltjes integrable, 234
 - right continuous, 68, 83
 - risk, 86
 - uniformly continuous, 68, 74, 82, 265, 407
 - upper semicontinuous, 90
- Functionally dependent, 318

- Function of a random variable, 116
- Fundamental theorem of calculus, 219
- Gamma distribution, 251
- Gamma function, 246, 532
 - approximation for, 532
- Gaussian quadrature, 524
- Gauss–Markov theorem, 55
- Gauss’s test, 156
- Generalized distance approach, 370
- Generalized inverse, 36
- Generalized simulated annealing method, 338
- Generalized variance, 363
- Geometric mean, 84, 230
- Geometric series, 142
- Gibbs phenomenon, 514
- Gradient, 275
 - methods, 329
- Gram–Charlier series, 457
- Gram–Schmidt orthonormalization, 24
- Greatest-integer function, 238
- Greatest lower bound, 9, 72
- Harmonic
 - frequencies, 501
 - mean, 85
 - series, 145
- Hazard rate, 131
- Heine–Borel theorem, 13
- Hermite polynomials, 447
 - applications of, 456, 542
 - normalized, 461
- Hessian
 - determinant, 276
 - matrix, 275, 285, 374
- Heteroscedasticity, 118
- Hölder’s inequality, 230–231
- Homogeneous function, 317
 - Euler’s theorem for, 317
- Homoscedasticity, 118
- Hotelling’s T^2 statistic, 49
- Householder matrix, 38
- Hypergeometric
 - distribution, 463
 - probability, 462
 - series, 157
- Idempotent matrix, 38
- Ill conditioning, 46
- Image of a set, 5
- Implicit function, 273
- Implicit function theorem, 282
- Importance sampling, 537
- Improper integral, 220
 - absolutely convergent, 222, 226
 - conditionally convergent, 222, 226
 - of the first kind, 220, 528
 - of the second kind, 221, 225
- Indefinite integral, 217
- Indeterminate form, 107
- Inequality
 - Cauchy–Schwarz, 25, 229
 - Chebyshev’s, 19, 184, 251
 - Hölder’s, 230, 231
 - Jensen’s, 84, 233
 - Markov’s, 19, 185
 - Minkowski’s, 232
- Infimum, 9, 73
- Inner product, 23
- Input variables, 339, 351
- Integral
 - improper, 220
 - indefinite, 217
 - Riemann, 206, 293
 - Riemann–Stieltjes, 234
- Integral test, 153, 224
- Interaction, 43
- Interior point, 262
- Intermediate-value theorem, 71, 217
- Interpolation, 410
 - error, 414, 416, 423
 - Lagrange, 411, 419, 422
 - points, 411–412, 414, 423
- Intersection, 2
- Interval of convergence, 174, 190
- Inverse function, 6, 76, 102
- Inverse function theorem, 280, 305
- Inverse of a matrix, 34
- Inverse regression, 242
- Irrational number, 9
- Jacobian
 - determinant, 268
 - matrix, 268
- Jacobi polynomials, 443
 - applications of, 462
- Jensen’s inequality, 84, 233
- Jordan content, 298
- Jordan measurable, 298
- Kernel of a linear transformation, 26
- Khinchine’s theorem, 192
- Knots, 418, 431
- Kolmogorov’s theorem, 192
- Kronecker product, 30
- Kummer’s test, 154

- Lack of fit, 342, 399
- Lagrange interpolating polynomial, 411, 416, 423, 518, 521
- Lagrange interpolation, 413, 419, 422
 - accuracy of, 413
- Lagrange multipliers, 288, 312, 329, 341, 344, 352, 383
- Laguerre polynomials, 451
 - applications of, 462
- Laplace
 - approximation, 531, 546, 548
 - method of, 531, 534, 546
- Law of large numbers, 84
 - Bernoulli's, 204
 - strong, 192
 - weak, 192
- Least-squares estimate, 46, 344
- Least-squares polynomial approximation, 453–455
- Least upper bound, 9, 73
- Legendre polynomials, 440, 442
- Leibniz's formula, 127, 443, 449, 452
- Level of significance, 15
- L'Hospital's rule, 103, 120, 254
- Likelihood
 - equations, 308, 373
 - function, 308, 373
- Limit, 57
 - left sided, 59
 - lower, 136
 - of a multivariable function, 262
 - one sided, 58
 - right sided, 59
 - of a sequence, 133
 - subsequential, 136
 - two sided, 58
 - upper, 136
- Limit point, 11, 262
- Linearly dependent, 22
- Linearly independent, 23
- Linear model, 43, 46, 121, 195, 355, 367, 382
 - balanced, 43
 - first order, 340
 - second order, 343
- Linear span, 23
- Linear transformation, 25
 - kernel of, 26
 - one-to-one, 27
- Lipschitz condition, 75
- Lipschitz continuous function, 75, 409
- Logarithmic series distribution, 193
- Logistic distribution, 241
- Loss function, 86
- Lower limit, 136
- Lower semicontinuous function, 90
- Lower sum, 206, 294
- Maclaurin's integral test, 153
- Maclaurin's series, 111
- Mapping, 5
- Markov chain Monte Carlo, 549
- Markov's inequality, 19, 185
- Matrix, 28
 - diagonal, 28
 - full column rank, 34
 - full rank, 34
 - full row rank, 34
 - Hessian, 275, 285, 374
 - Householder, 38
 - idempotent, 38
 - identity, 28
 - inverse of, 34
 - Jacobian, 268
 - moment, 363
 - orthogonal, 38, 351, 357
 - partitioned, 30
 - rank of, 33
 - singular, 32, 37
 - skew symmetric, 29
 - square, 28
 - symmetric, 29
 - trace of, 29
 - transpose of, 29
- Maximum
 - absolute, 113, 283, 346
 - local, 113, 283
 - relative, 113
- Maximum likelihood estimate, 308, 372
- Mean, 117, 239
- Mean response, 343, 359, 367, 423
 - maximum of, 343
- Mean squared error, 360, 431
 - integrated, 360, 431
- Mean value theorem, 99–100, 271
 - for integrals, 217
- Median, 124
- Mertens's theorem, 163
- Method of least squares, 121
- Minimax estimator, 86
- Minimization of prediction variance, 356
- Minimum
 - absolute, 113, 283, 336, 346
 - local, 113, 283
 - relative, 113
- Minimum bias estimation, 398

- Minimum norm quadratic unbiased estimation, 327, 378
- Minkowski's inequality, 232
- Minor, 31
 - leading principal, 32, 40, 285
 - principal, 32, 292
- Modal approximation, 549
- Modulus of continuity, 407
- Moment generating function, 186, 250, 506
- Moment matrix, 363
- Moments, 182, 505
 - central, 182, 240, 457
 - design, 362
 - factorial, 191
 - first negative, 242
 - noncentral, 182, 240
 - region, 361
- Monotone function, 76, 101, 210
- Monotone sequence, 133
- Monte Carlo method, 535, 540
 - error bound for, 537
 - variance reduction, 537
- Monte Carlo simulation, 83
- Multicollinearity, 46, 196, 353, 387
- Multimodal function, 336, 338
- Multinomial distribution, 325
- Multiresponse
 - experiment, 370
 - function, 370
 - optimization, 370
- Multivariable function, 261
 - composite, 265, 276
 - continuous, 264
 - inverse of, 280
 - limit of, 262
 - optima of, 283
 - partial derivative of, 267
 - Riemann integral of, 293
 - Taylor's theorem for, 277
 - uniformly continuous, 265
- Negative binomial, 182, 195
- Neighborhood, 10, 262
 - deleted, 57, 262
- Newton–Cotes methods, 523
- Newton–Raphson method, 331, 373
- Noncentral chi-squared, 44
- Noncentrality parameter, 44
- Nonlinear model, 367
 - approximate linearization of, 422
 - design for, 367
- Nonlinear parameter, 367
- Norm, 179
 - Euclidean, 24, 42, 179, 261
 - minimum, 380
 - of a partition, 205
 - spectral, 179
- Normal distribution, 120, 306
 - bivariate, 311
 - p -variate, 400
- Normal integral, 460, 469
 - approximation of, 460, 469
- Normal random variable, 245
- Null space, 26
- One-to-one correspondence, 5
- One-to-one function, 5
- One-way classification model, 387
- o notation, 66, 117
- O notation, 65, 156
- Open set, 10, 262
- Optimality of design
 - A , 365
 - D , 364, 367, 431
 - E , 365
 - G , 364
- Optimization techniques, 339
- Optimum
 - absolute, 113
 - compromise, 371
 - conditions, 370
 - ideal, 371
 - local, 113, 284
- Ordered n -tuple, 4
- Ordered pair, 3
- Orthogonal complement, 25
- Orthogonal design, 358
- Orthogonal functions, 437
- Orthogonal matrix, 38, 351, 357
 - parameterization, 49
- Orthogonal polynomials, 437, 453
 - Chebyshev, 444
 - of the first kind, 444
 - of the second kind, 445
 - zeros of, 444
- on a finite set, 455
- Hermite, 447
 - applications of, 456
- Jacobi, 443
- Laguerre, 451
- least-squares approximation with, 453
- Legendre, 440, 442
 - sequence of, 437
 - zeros of, 440
- Orthogonal vectors, 24
- Orthonormal basis, 24

- Parameterization of orthogonal matrices, 49
- Parseval's theorem, 496
- Partial derivative, 267
- Partially nonlinear model, 369
- Partial sum, 140
- Partition, 205, 294
 - of a set, 5
- Periodic
 - extension, 482
 - function, 473, 489, 504
- Periodogram, 501
- Piecewise continuous function, 481, 486, 489, 498
- Poisson approximation, 194
- Poisson distribution, 119, 183, 204
 - truncated, 373
- Poisson process, 122, 131
- Poisson random variable, 14, 124, 183
- Polynomial
 - approximation, 403
 - Bernstein, 406, 410
 - Chebyshev, 444
 - Hermite, 447, 456, 542
 - interpolation, 410
 - Jacobi, 443, 462
 - Lagrange interpolating, 411, 416, 423
 - Laguerre, 451, 462
 - Legendre, 440, 442
 - piecewise, 418
 - trigonometric, 495, 500, 504
- Power series, 174
 - distribution, 194
- Prediction equation, 348
- Prediction variance, 347, 350, 352, 356
 - minimization of, 356
 - standardized, 363–364
- Principal components, 328
- Probability of an event, 13
- Probability generating function, 190
 - continuity theorem for, 192
- Probability space, 13
- Product of matrices, 29
- Projection of a vector, 25
- Proper subset, 1
- Quadratic form, 39
 - extrema of, 48
 - nonnegative definite, 40
 - positive definite, 40
 - positive semidefinite, 40
- Quadrature, 524
 - Gauss–Chebyshev, 526
 - Gauss–Hermite, 528, 542
 - Gauss–Jacobi, 526
 - Gauss–Laguerre, 528
 - Gauss–Legendre, 526
- Raabe's test, 155
- Radius of convergence, 174
- Random effects, 44
- Random variable, 13
 - absolutely continuous, 116, 239
 - Bernoulli, 194
 - binomial, 14, 203
 - chi-squared, 246
 - continuous, 14, 82, 116, 239
 - discrete, 14, 182
 - function of, 116
 - normal, 245
 - Poisson, 14, 124, 183
- Random vector, 304
 - transformations of, 305
- Range of a function, 5
- Rank of a matrix, 33
- Rational number, 8
- Ratio test, 148
- Rayleigh's quotient, 41
 - infimum of, 41
 - supremum of, 41
- Rearrangement of series, 159
- Refinement, 206, 214, 294
- Region of convergence, 174
- Relation, 4
 - congruence, 5
 - equivalence, 4
 - reflexive, 4
 - symmetric, 4
 - transitive, 4
- Remainder, 110, 257, 279
- Response
 - constrained, 352
 - maximum, 340
 - minimum, 340
 - optimum, 350
 - predicted, 341, 344, 355, 504
 - primary, 352
 - surface, 340
- Response surface design, 339, 355, 359
- Response surface methodology, 339, 355, 367, 504
- Response variable, 121
- Restricted least squares, 429
- Ridge analysis, 343, 349, 352
 - modified, 350, 354
 - standard, 354
- Ridge estimator, 56, 196

- Ridge plots, 346
- Ridge regression, 195
- Riemann integral, 206, 293
 - double, 295
 - iterated, 295
 - n -tuple, 295
- Riemann–Stieltjes integral, 234
- Risk function, 86
- Rodrigues formula, 440, 443, 447, 451
- Rolle’s theorem, 99, 110
- Root test, 149
- Rotatability, 347

- Saddle point, 114, 284, 344, 349
- Saddlepoint approximation, 549
- Sample, 14
- Sample space, 13
- Sample variance, 14
- Satterthwaite’s approximation, 324
- Scalar, 21
 - product, 23
- Scheffé’s confidence intervals, 382, 384
- Schur’s theorem, 42
- Sequence, 132, 262
 - bounded, 132, 262
 - Cauchy, 138, 222
 - convergent, 133, 262
 - divergent, 133
 - of functions, 165, 227
 - limit of, 133
 - limit infimum of, 136, 148, 151
 - limit supremum of, 136, 148, 151
 - of matrices, 178
 - monotone, 133
 - of orthogonal polynomials, 437
 - subsequential limit of, 136
 - uniformly convergent, 166, 169, 228
- Series, 140
 - absolutely convergent, 143, 158, 174
 - alternating, 158
 - conditionally convergent, 158
 - convergent, 141
 - divergent, 141
 - Fourier, 471
 - of functions, 165
 - geometric, 142
 - Gram–Charlier, 457
 - harmonic, 145
 - hypergeometric, 157
 - Maclaurin’s, 111
 - of matrices, 178, 180
 - multiplication of, 162
 - of positive terms, 144
 - power, 174
 - rearrangement of, 159
 - sum of, 140
 - Taylor’s, 111, 121
 - trigonometric, 471
 - uniformly convergent, 166, 169
- Set(s), 1
 - bounded, 9, 72, 262
 - closed, 11, 72, 262
 - compact, 13
 - complement of, 2
 - connected, 12
 - convex, 79
 - countable, 6
 - covering of, 12
 - disconnected, 12
 - empty, 1
 - finite, 6
 - image of, 5
 - open, 10, 262
 - partition of, 5
 - subcovering of, 13
 - uncountable, 7
 - universal, 2
- Sherman–Morrison formula, 54
- Sherman–Morrison–Woodbury formula, 54, 389
- Simplex method, 332
- Simpson’s method, 521
- Simulated annealing, 338
- Simultaneous diagonalization, 40
- Singularity of a function, 225
- Singular-value decomposition, 39, 45
- Singular values of a matrix, 46
- Size of test, 15
- Spectral decomposition theorem, 38, 181, 351
- Spherical polar coordinates, 322
- Spline functions, 418, 428
 - approximation, 418, 421
 - cubic, 419, 428
 - designs for, 430
 - error of approximation by, 421
 - linear, 418
 - properties of, 418
- Squared error loss, 86
- Stationary point, 284, 345
- Stationary value, 113
- Statistic, 14
 - first-order, 20
 - Hotelling’s T^2 , 49
 - n th-order, 20
- Steepest ascent
 - method of, 330, 340
 - path of, 396
- Steepest descent

- method of, 329
- path of, 343
- Step function, 237
- Stieltjes moment problem, 185
- Stirling's formula, 532
- Stratified sampling, 313
- Stratum, 313
- Submatrix, 29
 - leading principal, 29
 - principal, 29
- Subsequence, 135, 262
- Subsequential limit, 136
- Subset, 1
- Supremum, 9, 73
- Symmetric difference, 17
- Taylor's formula, 110
- Taylor's series, 111, 121
 - remainder of, 110, 257, 279
- Taylor's theorem, 108, 114, 277
- t distribution, 259
- Time series, 500
- Topological space, 10
- Topology, 10
 - basis for, 10
- Total derivative, 270
- Transformation
 - Box and Cox, 120
 - of continuous random variables, 246
 - of random vectors, 305
 - variance stabilizing, 118
- Translation invariance, 379
- Trapezoidal method, 517
- Triangle inequality, 25
- Trigonometric
 - polynomial(s), 495, 500, 504
 - series, 471
- Two-way crossed classification model, 43, 401
- Uncountable set, 7
- Uniform convergence
 - of sequences, 166, 169, 228
 - of series, 167, 169
- Uniform distribution, 83, 92, 116, 250
- Uniformly continuous function, 68, 74, 82, 265, 407
- Union, 2
- Universal set, 2
- Upper limit, 136
- Upper semicontinuous function, 90
- Upper sum, 206, 294
- Variance, 117, 239
- Variance components, 44, 378
- Variance criterion, 359, 366
- Variance stabilizing transformation, 118
- Vector, 21
 - column, 28
 - row, 28
 - zero, 21
- Vector space, 21
 - basis for, 23
 - dimension of, 23
- Vector subspace, 22
- Voronovsky's theorem, 410
- Weierstrass approximation theorem, 403
- Weierstrass's M -test, 167, 172