
Index

Numbers

16-bit textures, 86
3D texture extension, 100
 mipmapping, 102
4Dwm, 1
60-Hz monitor, 214

A

ABGR extension, 125
accumulated multisampling, 159
accumulation buffer, 268
actions and translations, 34, 36
adding callbacks, 32
advanced multisampling options, 156
AllocAll, 42
AllocNone, 42
alpha blending, 244, 268, 275
alpha-blending transparency, 285
alpha component
 representing complex geometry, 243
alpha function, 268
alpha value used as multisample mask, 157
ancillary buffers, 11, 172, 179, 180, 182
animations, 51
 avoiding flickering, 51
 benchmarking, 220
 clear operations, 214

 controlling with workprocs, 53
 debugging, 207
 double buffering, 214
 frame rate, 214
 glXSwapBuffers, 215
 optimizing frame rates, 215
 speed, 214
 swapping buffers, 52
 tuning, 214

ANSI C

 prototyping subroutines, 230
 See also compiling

antialiased lines *See* antialiasing

antialiasing
 lines, 160, 268, 269, 274, 277, 283, 289
 multisampling, 154

app-defaults file, 29, 31, 35

arrays

 for geometric primitives, 151
 traversal, 227
 vertex array extension, 151

assembly code, 231, 237

Athena widget set, 14

attributes

 of drawing-area widget, 31
 of widgets, 29

available extensions, 10

B

- backbuffer (IRIS GL), 287
- backdrop, 236
- backface removal, 244
- backing store, 47
- BadAlloc error, 63, 180
- BadMatch error, 38, 43, 78, 180
 - finding problem, 39
 - make current read extension, 165
- benchmarking, 218
 - and glFinish(), 220
 - background processes, 219
 - basics, 219
 - clock resolution, 219
 - example program, 297
 - libraries, 306
 - loops, 220
 - static frames, 220
- billboards, 238
- binding context to window, 22
- bitmap fonts, 48
- BlackPixel() color macro, 70
- blank window, 206
- blendcolor (IRIS GL), 287
- blendfunction (IRIS GL), 287
- blending
 - and multisampling, 157
 - extensions, 140-144
 - See also* minmax blending extension, logical operator blending, constant color blending, alpha blending
- blending factors, 142
- blend subtract extension, 144
- block counting, 218
- border clamping, 119
- border pixel, 43

bottlenecks

- CPU, 226
- definition, 210
- finding, 212
- geometry subsystem, 212
- raster subsystem, 212
- See also* optimizing, 210

buffer clobber events, 180, 181

buffers

- accessed by loops, 229
- accumulation, 268
- accumulation buffer for multisampling, 159
- avoiding simultaneous traversal, 217
- depth, 268
- pbuffer, 179
- See also* ancillary buffers
- stencil, 268
- swapping, 52

C

cache

- definition, 216
- determining size, 217
- immediate mode drawing, 226
- line, 217
- minimizing misses, 217
- miss, 216, 226

calculating expected performance, 219

callbacks

- adding, 32
- and current context, 33
- drawing-area widget, 32, 34
- expose, 23, 33, 62
- init, 23, 33
- in overlay, 62
- input, 32, 33, 62
- resize, 32, 34, 62

Call Count menu command, 203

- changing framezoom factor, 273
- character strings, 47
- checking for extensions, 82
- choosing colormaps, 72
- choosing visuals, 20
- clamping
 - border clamping, 119
 - edge clamping, 119
- clear
 - and multisampling, 284
 - for debugging, 206
 - optimizing on low-end systems, 268
 - optimizing on mid-range systems, 276
 - performance tuning, 236
- clearing bitplanes, 246
- clipping
 - debugging, 206
 - mid-range systems, 274
 - optimizing on IMPACT, 277
- clock resolution, 219
- color array, 153
- color blending extension, 141
- color buffer clear
 - influence on performance, 219
 - with depth buffer clear, 246
- color component
 - vertex array extension, 152
- color index
 - vertex array extension, 152
- color-index mode, 70
- color macros, 70
- colormaps, 70
 - and drawing-area widget, 14
 - and overlays, 62
 - choosing, 72
 - creating, 42
 - default, 70
 - definition, 13, 70
 - flashing, 68, 71
 - installing, 44
 - multiple, 71
 - retrieving default, 71
 - transparent cell, 59
 - Xlib, 74
- color matrix
 - and color mask, 247
 - and identity matrix, 247
 - extension, 128
- color space conversions
 - IMPACT, 280
- color table extension, 136
 - and copy texture, 138
- Commands menu (ogldebug), 203
- compiling
 - display lists, 225, 235
 - float option, 223
 - g option, 223
 - mips3, -mips4, 223
 - O2 option, 223
 - optimizing, 223
 - with -S, 237
- complex structures, 225
- concave polygons
 - optimizing, 239
- conditional statements, 230
- configuration file for ogldebug, 196
- constant color blending extension, 141
 - blending factors, 142
- container widgets, 30
- contexts
 - and visuals, 172
 - binding to window, 22
 - created with GLXFBCConfig, 181
 - current, 13
 - retrieving current display, 170
 - See also* rendering contexts

- convolution extension, 129
 - and texture images, 131
 - border mode, 130
 - example, 129
 - filter bias factors, 130
 - filter image height, 130
 - filter image width, 130
 - filter scale factors, 130
 - maximum filter image height, 130
 - maximum filter image width, 130
 - separable filter, 131
- convolution kernels, 129
 - on IMPACT, 280
- convolve (IRIS GL), 288
- coordinate system, 208
- copy texture extension, 98
- cpack IRIS GL format, 125
- CPU bottlenecks
 - checking in example program, 260
 - eliminating from example program, 262
 - from hierarchical data structures, 226
 - memory paging, 216
 - testing for, 212
- CPU stage of the pipeline, 210
- CPU usage bar, 213
- creating drawing-area widgets, 28
- creating pixmaps, 77
- creating rendering contexts, 22
- culling, 226, 243
- current context, 13
- customizing detail texture, 116
- customizing sharpen texture, 109

D

- data
 - expansion in display lists, 225
 - preprocessing, 232
 - storage self-managed by display lists, 224
 - word-aligned, 274
- database
 - optimizing by preprocessing, 232
 - optimizing traversal, 227
- data organization, 226
 - balancing hierarchy, 226
 - disadvantages of hierarchies, 226
- data traversal, 223
 - remote rendering, 224
- data types used by packed pixels extension, 126
- DBE, 53
- dbx, 198
- debugger *See* ogldebug
- debugging, 195-208
 - animations, 207
 - blank window, 206
 - depth testing, 207
 - glOrtho(), 206
 - glPerspective(), 206
 - lighting, 207
 - projection matrix, 206
- decals and polygon offset, 145
- default colormaps, 71
- DefaultVisual() Xlib macro, 67
- deleting unneeded display lists, 235
- depth buffer clear, 219
- depth buffering, 244, 268, 272, 305
 - clearing depth and color buffer, 246
 - debugging, 207
 - in example program, 265
 - lines, 269
 - optimizing, 245

- DepthBufferingIsFast(), 312
 - depth-queueing, 268
 - lines, 269
 - depth testing, 207
 - depth values, 145
 - detail texture, 112-119, 283
 - and texture object extension, 117
 - customizing, 116
 - example program, 117
 - how computed, 115
 - LOD interpolation function, 116
 - magnification filters, 115
 - determining cache size, 217
 - DirectColor visuals, 67, 165, 172
 - direct rendering
 - pbuffers, 179
 - direct rendering contexts, 79
 - dis command, 237
 - displacepolygon (IRIS GL), 288
 - display lists
 - appropriate use, 235
 - compiling, 225
 - complex structures, 225
 - contrasted with immediate mode, 224
 - deleting unneeded, 235
 - dependent on context, 208
 - DMA, 281
 - duplication, 235
 - fonts and strings, 47
 - for X bitmap fonts, 48
 - IMPACT systems, 280
 - optimizing, 234
 - sharing, 208
 - tuning, 234-235
 - displays
 - retrieving, 170
 - dither (IRIS GL), 288
 - dithering, 268
 - disabling, 275
 - mid-range systems, 275
 - divided-screen stereo, 75
 - DMA, 272
 - display lists, 281
 - pixel formats on low-end systems, 272
 - double buffering, 51, 214
 - double buffering X extension, 53
 - drawables
 - and GLXFBConfig, 171
 - creating, 77
 - definition, 12
 - GLXVideoSourceSGIX, 183
 - read drawable, 164
 - write drawable, 164
 - drawing
 - avoiding after screen clear, 215
 - fast pixel drawing, 249
 - lines, 269
 - location in call tree, 231
 - optimizing, 238-239
 - drawing-area widgets, 28
 - and colormaps, 14
 - attributes, 31
 - callbacks, 32, 34
 - creating, 28, 30
 - dynamic vertex array elements, 152
- ## E
- edge clamping, 119
 - edge flag array, 153
 - Elan
 - fill operations, 244
 - performance tuning, 274
 - end conditions of loops, 229
 - error handling, 31

- errors
 - calling glGetError(), 205
- estimating performance, 221
- events, 45
 - buffer clobber, 181
 - processing with callbacks, 34
 - Xlib, 45
- example programs
 - benchmarking, 297
 - checking for extensions, 82
 - colormaps, 74
 - default colormap, 71
 - detail texture, 117
 - drawing pixels fast, 249-250
 - event handling with Xlib, 45
 - fonts and strings, 48
 - motif, 16
 - mouse motion events, 35
 - polygon offset, 146
 - popup menu, 65
 - sharpen texture extension, 110
 - texture proxy mechanism, 90
 - tuning example, 251-266
 - video source extension, 183
 - workproc, 54
 - Xlib, 39
 - Xlib event handling, 45
- examples
 - location of source code, 8
 - pdbMeasureRate(), 309
 - pdbWriteRate(), 310
- expensive modes, 242-243
- expose callback, 23, 33, 62
- Expose event, 23
- Expose events, 47
 - batching, 80
- exposing windows, 47
- EXT, 6
- EXT_abgr, 125
- EXT_blend_color, 141
- EXT_blend_logic_op, 143
- EXT_blend_minmax, 142
- EXT_blend_subtract, 144
- EXT_convolution, 129
- EXT_copy_texture, 98
- EXT_histogram, 132
- EXT_import_context, 169
- EXT_packed_pixels, 125
- EXT_polygon_offset, 145
- EXT_subtexture, 96
- EXT_texture, 85
- EXT_texture_object, 93
- EXT_texture3D, 100
- EXT_vertex_array, 151
- EXT_visual_info, 165
- EXT_visual_rating, 167
- extensions
 - 3D texture, 100
 - ABGR, 125
 - blend subtract, 144
 - checking for availability, 82
 - color blending, 141
 - color matrix, 128
 - color table, 136
 - convolution, 129
 - copy texture, 98
 - detail texture, 112
 - finding additional information, 84
 - frame buffer configuration, 171
 - GLX extension to X, 10
 - hardware-accelerated on mid-range systems, 274
 - histogram, 132
 - import context, 169
 - interlace, 139
 - logical operator blending, 143
 - make current read, 164
 - minmax blending, 142

- multisampling, 154
 - packed pixels, 125
 - pixel buffer, 179
 - polygon offset, 145
 - sample program location, 84
 - sharpen texture, 107
 - subtexture, 96
 - swap control, 168
 - texture border clamp, 119
 - texture color table, 105
 - texture edge clamp, 119
 - texture LOD, 121
 - texture object, 93
 - vertex array, 151
 - video source, 183
 - video sync, 167
 - visual info, 165
 - visual rating, 167
- extensions available, 10
- Extreme graphics
- fill operations, 244
 - performance tuning, 274
- F**
- fading
- with constant color blending, 142
- fallback resources, 29
- fbsubtexload (IRIS GL), 288
- File menu (ogldebug), 202
- fill-limited code
- definition, 212
 - IMPACT systems, 276
 - in example program, 263
 - tuning, 243-246
- fill operations, 245
- fill rates, 219
- optimizing, 270
- finding bottlenecks, 212
- findvis, 12, 67
- finowt bar (gr_osview), 268
- fiwt bar (gr_osview), 268
- flat shading, 239, 244, 264
- flat-shading, 244
- flickering in animations, 51
- flight simulators, 245
- floating point conversion, 269
- flushing
- and performance, 274
 - explicit, 274
 - implicit, 274
- fog, 242, 268
- optimizing, 275
- fonts, 47, 48
- form widget, 30, 61
- framebuffer
- efficient use, 247
- framebuffer configuration extension, 171
- frame rates
- preferred by viewers, 53
 - tuning, 214
- frame widget, 30, 61
- framezoom extension, 273
- framezoom factor, 273
- frontbuffer (IRIS GL), 287
- frontface removal, 244
- functions affected by imaging extension, 125
- G**
- gamma (IRIS GL), 288
- g compiler option, 223
- generating texture names, 94

- geometry-limited code
 - finding bottlenecks, 212
 - in example program, 264
 - tuning, 238-243
- getColormap(), 71
- getgdesc (IRIS GL), 305
- gethgram (IRIS GL), 289
- getminmax (IRIS GL), 290
- gettimeofday(), 220
- gfx bar (gr_osview), 268
- gfxinfo, 267
- gfxinit, 168
- GL_(UN)PACK_IMAGE_HEIGHT_EXT, 101
- GL_1PASS_SGIS, 159
- GL_2PASS_0_SGIS, 159
- GL_4PASS_0_SGIS, 159
- GL_ABGR_EXT, 125
 - on low-end systems, 272
- GL_BLEND, 140
- GL_CLAMP_TO_BORDER_SGIS, 120
- GL_CLAMP_TO_EDGE_SGIS, 120
- GL_COLOR_ARRAY_EXT, 153
- GL_COMPILE_AND_EXECUTE, 235
- GL_CONVOLUTION_BORDER_MODE_EXT, 130
- GL_CONVOLUTION_FILTER_BIAS_EXT, 130
- GL_CONVOLUTION_FILTER_SCALE_EXT, 130
- GL_CONVOLUTION_FORMAT_EXT, 130
- GL_CONVOLUTION_HEIGHT_EXT, 130
- GL_CONVOLUTION_WIDTH_EXT, 130
- GL_CULL_FACE, 271
- GL_DEPTH_TEST, 207
- GL_EDGE_FLAG_ARRAY_EXT, 153
- GL_INDEX_ARRAY_EXT, 153
- GL_INTENSITY8_EXT, 87
- GL_INTERLACE_SGIX, 139
- GL_LINE_SMOOTH, 160, 289
- GL_LINE_SMOOTH_HINT, 277
- GL_LINEAR_DETAIL_ALPHA_SGIS, 115
- GL_LINEAR_DETAIL_COLOR_SGIS, 115
- GL_LINEAR_DETAIL_SGIS, 115
- GL_LINEAR_SHARPEN_ALPHA_SGIS, 108
- GL_LINEAR_SHARPEN_COLOR_SGIS, 108
- GL_LINEAR_SHARPEN_SGIS, 108
- GL_LOGIC_OP, 144
- GL_LUMINANCE*_ALPHA4_EXT, 87
- GL_LUMINANCE8_EXT, 87
- GL_MAX_CONVOLUTION_HEIGHT_EXT, 130
- GL_MAX_CONVOLUTION_WIDTH_EXT, 130
- GL_NORMAL_ARRAY_EXT, 153
- GL_POST_COLOR_MATRIX*_BIAS_SGI, 128
- GL_POST_COLOR_MATRIX*_SCALE_SGI, 128
- GL_PROXY_TEXTURE*_D_EXT, 89
- GL_RENDERER, 83, 267
- GL_RGB*_EXT, 87
- GL_RGB5_A1_EXT, 87, 248
- GL_RGBA*_EXT, 87
- GL_SAMPLE_ALPHA_TO_MASK_SGIS, 157
- GL_SAMPLE_MASK_SGIS, 158
- GL_SHININESS, 241
- GL_TEXTURE_COLOR_TABLE_SGI, 106
- GL_TEXTURE_COORD_ARRAY_EXT, 153
- GL_TEXTURE_MAG_FILTER, 115
- GL_TEXTURE_MAX_LOD_SGIS, 121
- GL_TEXTURE_MIN_LOD_SGIS, 121
- GL_TEXTURE_WRAP_R_EXT, 101
- GL_UNSIGNED_BYTE_3_3_2_EXT, 126
- GL_UNSIGNED_INT_10_10_10_2_EXT, 126
- GL_UNSIGNED_INT_8_8_8_8_EXT, 126
- GL_UNSIGNED_SHORT_4_4_4_4_EXT, 126
- GL_UNSIGNED_SHORT_5_5_5_1_EXT, 126
- GL_VERSION, 83

GL_VERTEX_ARRAY_EXT, 153
glAlphaFunc(), 243
glAreTexturesResidentEXT(), 95, 289
glArrayElementEXT(), 152
glBegin(), 230
glBlendColorEXT(), 141
glBlendEquationEXT(), 143
glBlendFunc(), 142
glCallList(), 235
glCallLists(), 48
glClear(), 206, 236
glColorMaterial(), 241
glColorPointerEXT(), 152
glColorTableSGI(), 106, 136
glCompat (IRIS GL), 288
glConvolutionFilter*DEXT(), 130
glCopyColorTableSGI(), 138
glCopyConvolutionFilter*DEXT(), 131
glCopyPixels()
 and minmax extension, 134
glCopyPixels() for scrolling, 272
glCopyTexImage*DEXT(), 98
glDeleteLists(), 235
glDepthRange(), 242
glDetailTexFuncSGIS(), 116
glDrawArraysEXT(), 151
glDrawPixels()
 optimizing, 249
glEdgeFlagPointerEXT(), 153
glEnd(), 230
glFinish(), 220, 221
glFlush(), 198
glFrameZoomSGIX(), 273
glGenTexturesEXT(), 94
glGetConvolutionFilterEXT(), 131
glGetError(), 205
glGetHistogramEXT(), 133, 289
glGetMinMaxExt(), 135
glGetMinmaxParameterEXT(), 135
glGetString, 83
glGetString(), 82, 267
glHistogramEXT(), 289
glHistogramExt(), 133
glIndexPointerEXT(), 152
glintro, 6
glListBase(), 48
glLoadIdentity(), 278
glLoadMatrix(), 278
glLogicOp(), 268
glMaterial(), 241
glMinmaxEXT(), 134
glNormalPointerEXT(), 152
glOrtho(), 206
glOrtho() performance, 269
glPerspective(), 206
glPixelMaps(), 279
glPolygonOffsetEXT(), 150
glPrioritizeTexturesEXT(), 95
glRect(), 270
glSampleAlphaToMaskSGIS(), 158
glSampleMaskSGIS(), 156, 158
glSamplePatternSGIS(), 159
glSeparableFilter2DEXT(), 130, 131
glShadeModel(), 270
 for performance tuning, 239
glSharpenTexFuncSGIS(), 109
glTagSampleBufferSGIX(), 161, 285
glTexCoordPointerEXT(), 153
glTexGen(), 282
glTexSubImage2DEXT(), 97

- GLU header, 11
- GLU include files, 10
- GLU NURBS, 277
- glUseXFont(), 208
- glVertex3fv () performance, 269
- glVertexPointerEXT(), 152
- GLwCreateMDrawingArea(), 28
- GLwDrawingAreaMakeCurrent(), 22
- GLwDrawingAreaSwapBuffers(), 52
- GLwMDrawingAreaMakeCurrent(), 28, 33
- GLwMDrawingAreaSwapBuffers(), 28
- GLwMDrawingArea widget, 28
 - and popup, 64
 - menus, 64
 - overlays, 60
- GLwMDrawingArea widget *See also* drawing-area widgets
- GLwNexposeCallback, 33
- GLwNginitCallback, 33
- GLwNinputCallback, 33
- GLwNresizeCallback, 34
- GLX, 2, 10
 - checking support, 20
 - extensions to GLX, 163
 - header, 11
 - importing indirect context, 169
 - systems supporting GLX 1.0, 20
 - systems supporting GLX 1.1, 20
 - trace files, 198
 - using glXQueryExtension(), 20
- GLX_BUFFER_SIZE, 78
- GLX_CONTENTS_PRESERVED_SGIX, 180
- GLX_DIRECT_COLOR_EXT, 165
- GLX_DRAWABLE_TYPE_SGIX, 173
- GLX_FBCONFIG_ID_SGIX, 173
- GLX_GET_LARGEST_PBUFFER_SGIX, 180
- GLX_PSEUDO_COLOR, 166
- GLX_RENDER_TYPE_SGIX, 173
- GLX_SAMPLE_BUFFERS_SGIS, 156
- GLX_SAMPLES_SGIS, 155
- GLX_SCREEN_EXT, 170
- GLX_SHARE_CONTEXT_EXT, 170
- GLX_SLOW_EXT, 167
- GLX_STATIC_COLOR, 166
- GLX_TRANSPARENT_TYPE_EXT, 166
- GLX_TRUE_COLOR_EXT, 165
- GLX_VISUAL_CAVEAT_EXT, 167, 178
- GLX_VISUAL_ID_EXT, 170
- GLX_X_RENDERABLE_SGIX, 173
- GLX_X_VISUAL_TYPE_EXT, 165
- glXChooseFBConfigSGIX(), 173, 175
- glXChooseVisual(), 20, 31, 67, 165, 167
 - and multisampling, 155
 - using FBConfig instead, 171
- GLXContext, 12
- glXCreateContext(), 22
- glXCreateContextWithConfigSGIX(), 177
- glXCreateGLXPbufferSGIX(), 180
- glXCreateGLXPixmap(), 78
- glXCreateGLXPixmapWithConfigSGIX(), 177
- glXCreateGLXVideoSourceSGIX(), 194, 288
- glXDestroyGLXPbufferSGIX(), 181
- glXDestroyGLXVideoSourceSGIX(), 194
- GLX drawable, 12
- GLX extension *See* GLX
- GLXFBConfig, 171, 173
 - attributes, 173
 - how selected, 178
- glXFreeGLXContext(), 169
- glXGetCurrentDisplayEXT(), 170
- glXGetFBConfigAttribSGIX(), 176, 177
- glXGetGLXContextIDEXT(), 169
- glXGetVisualFromFBConfigSGIX(), 176

glXImportGLXContextEXT(), 169
glXinfo, 12
glXMakeCurrent(), 22, 33, 172
 See also MakeCurrentRead extension
glXMakeCurrentReadSGI(), 164, 288
GLXPbuffer, 179
GLX pixmaps, 12, 78
 and exposing windows, 47
glXQueryContextInfoEXT(), 170
glXQueryExtension(), 20
glXQueryExtensionsString(), 84
glXSelectEventSGIX, 181
glXSwapBuffers(), 52, 198, 221, 236
 and tuning animations, 215
glXSwapIntervalSGI(), 168
glXUseXFont(), 47
GLXVideoSourceSGIX, 183
GLX visual, 11
glXWaitGL(), 80
glXWaitX(), 80
glyphs, 48
Gouraud shading, 244
gr_osview, 268
GrayScale visuals, 67, 166, 172
ground plane, 236
grouping primitives, 239

H

hardware configuration, 267
hardware-supported features (low-end), 268
header
 for OpenGL, GLU, GLX, 11
hgram (IRIS GL), 289
hidden-line images, 145

hierarchy
 data organization, 226
 memory, 215
High IMPACT, 276
highlighted edges, 145
high-performance drawing, 238-239
hints
 GL_NICEST smooth hint, 160
hinv command, 217
histogram extension, 132
 example, 133
 using proxy histograms, 135
hot spots, 210, 227

I

identity matrix, 247, 278
if-else-if statements, 230
ilbuffer (IRIS GL), 289
ildraw (IRIS GL), 289
images
 IMPACT, 279
imaging extensions, 123-144
 affected functions, 125
imaging pipeline, 123
 location of color table, 138
 optimizing, 285
 overview, 124
 tuning, 246-248
immediate mode
 contrasted with display lists, 224
 machine dependencies, 312
 tuning, 225-234
ImmediateModeIsFast(), 312
IMPACT
 color space conversion, 280
 convolution kernels, 280

- display lists, 280
- images, 279
- performance tuning, 276-282
- quad strips, 277
- textures, 278
- triangle strips, 277
- import context extension, 169
 - shareable information, 169
- include files
 - OpenGL and X, 11
- index array, 153
- Indigo² XL performance tuning, 267
- Indigo Entry performance tuning, 267
- indirect rendering, 79
 - pbuffers, 179
- indirect rendering contexts
 - sharing with import context, 169
- Indy
 - comparative performance costs, 244
 - performance tuning, 267-273
- inheritance issues, 38
- init callback, 23, 33
- input callbacks, 32, 33, 34, 62
 - example, 35
 - private state, 34
 - when called, 34
- input disappears, 38
- input events
 - and overlays, 63
- input extension (X), 45
- input handling, 34
 - actions and translations, 34
- interlace extension, 139
- interleaving computation with graphics, 236
- internal formats, 85
 - list of tokens, 87
- Intrinsics, 15
- IRIS GL, 5, 60
 - backbuffer, 287
 - blendcolor, 287
 - blendfunction, 287
 - convolve, 288
 - cpack format, 125
 - displacepolygon, 288
 - dither, 288
 - fbsubtexload, 288
 - frontbuffer, 287
 - gamma, 288
 - getdesc, 305
 - gethgram, 289
 - glcompat, 288
 - hgram, 289
 - ilbuffer, 289
 - ildraw, 289
 - istexloaded, 289
 - leftbuffer, 289
 - libsphere, 289
 - linesmooth, 289
 - msalpha, 290
 - msmask, 290
 - mssize, 290
 - mssize, 290
 - mswapbuffers, 290
 - pixelmap, 291
 - pixmap, 291
 - pntsize, 292
 - polymode, 292
 - polysmooth, 292
 - popup planes, 292
 - porting, xxiv
 - readcomponent, 292
 - RGBwritemask, 292
 - rightbuffer, 289
 - setmonitor, 292
 - setvideo, 292
 - swapinterval(), 168
 - tevbind, 293
 - tevdef, 293

- texbind, 293
- texdef, 293
- texture management, 289
- tlutbind, 295
- tlutdef, 295

- IRIS GL (getminmax), 290

- IRIS GL (minmax), 290

- IRIS IM, 1

- and Xt, 15

- example program, 16

- integrating with OpenGL, 15

- keyboard traversal, 28

- troubleshooting, 38

- widgets, 14, 15

- IRIS Performer, 8

- IsFastOpenXDisplay(), 312

- istexloaded (IRIS GL), 289

K

- key bindings, 37

- keyboard focus, 38

- keyboards

- virtual key bindings, 37

- keyboard traversal, 28, 38

L

- leftbuffer (IRIS GL), 289

- level of detail *See* LOD

- libisfast, 306, 311

- libpdb, 306

- libraries

- how to link, 24

- OpenGL and X, 11

- libsphere (IRIS GL), 289

- lighting, 268

- and material parameters, 241

- debugging, 207

- expensive features, 241

- mid-range systems, 275

- nonlocal viewing, 240

- optimizing, 240-243

- performance penalty of advanced features, 240

- shininess, 241

- single-sided, 240

- lines, 269

- antialiased, 269, 274, 277, 283, 289

- depth-buffering, 269

- depth-queued, 269

- optimizing for low-end systems, 269

- patterned, 269

- rendering with polygon offset, 145

- shaded, 269

- linesmooth (IRIS GL), 289

- line strips, 239

- link lines, 24

- OpenGL and X, 24

- loading

- optimizing, 248

- local lights, 241

- location of example source code, 8

- LOD

- for performance tuning, 237

- multisampling, 158

- texture LOD extension, 121

- LOD extrapolation function, 109

- LOD interpolation curve, 116

- logical operator blending extension, 143

- loops

- accessing buffers, 229

- for benchmarking, 220

- optimizing, 229

- unrolling, 229

- low-end systems
 - hardware-supported features, 268
 - optimizing lines, 269
 - scissoring, 273
 - software-supported features, 268

M

- machine configuration, 267
- macros, 231
- magnification filters
 - detail texture, 115
 - sharpen texture, 108
- magnification of textures, 107
- make current read extension, 164
 - BadMatch error, 165
 - RealityEngine, 165
- mapping windows, 23
- masks
 - multisample mask, 158
- material parameters, 241
- Maximum IMPACT, 276
- memory
 - limitations with display lists, 225
 - optimizing display lists, 234
 - paging, 216
 - paging caused by hierarchical data structures, 226
 - savings using several visuals, 69
 - structure of, 215
- menus
 - GLwMDrawingArea widget, 64
 - multi-visual applications, 69
- meshes, 232
- mid-range systems
 - alpha blending, 275
 - dithering, 275
 - hardware-accelerated extensions, 274
 - lighting, 275
 - optimizing clear operations, 276
 - performance tuning, 274
 - texture mapping, 275
- minimizing cache misses, 217
- minmax (IRIS GL), 290
- minmax blending extension, 142
- minmax extension, 134
- mipmapping
 - and 3D textures, 102
 - texture LOD extension, 121
- mips3, 223
- mode changes
 - fast on RealityEngine, 282
 - slow on RealityEngine, 282
- mode settings, 219
- Motif, 1
 - and Xt, 15
 - See also* IRIS IM, widgets
- motif/simplest.c example program, 16
- mouse events, 35, 45
- msalpha (IRIS GL), 290
- msmask (IRIS GL), 290
- mspattern (IRIS GL), 290
- mssize (IRIS GL), 290
- mswapbuffers (IRIS GL), 290
- multipass multisampling, 159
- multiple colormaps, 71
- multiple processes, 217
- multiple processors, 237
- multiple visuals, 68
- multisample extension, 154
- multisample mask, 158
- multisampling, 154-161
 - advanced options, 156
 - and blending, 157
 - choosing visual, 155
 - clear, 284

- comparative performance cost, 244
- defining mask, 158
- GL_LINE_SMOOTH, 160
- introduction, 155
- multipass multisampling, 159
- on RealityEngine systems, 284
- performance costs, 284
- pixels, 161
- points, 160
- polygons, 161
- screen-door transparency, 157
- when to use, 155

N

- nonlocal viewing, 240
- normals, 269
 - vertex array extension, 152
- NULL image, 97
- NURBS, 277

O

- O2 compiler option, 223
- ogldebug
 - Commands menu, 203
 - configuration file, 196
 - control flow checkboxes, 200
 - Fast Mode checkboxes, 201
 - File menu, 202
 - Options menu, 203
 - References menu, 204
 - setup, 196
 - starting, 197
 - Trace checkboxes, 201
 - trace file, 198
- ogldebug tool, 195-204
- one-dimensional arrays, 227

- OpenGL
 - coordinate system, 208
 - header, 11
 - include files, 11
 - integrating with IRIS IM, 15
 - rendering mode, 66
 - speed considerations with X, 23
 - visual, 11
- OpenGL Porting Guide, xxiv
- opening X displays, 19
- Open Inventor, 4
- optimizing
 - compilation, 223
 - concave polygons, 239
 - conditional statements, 230
 - database by preprocessing, 232
 - database traversal, 227
 - depth buffering, 245
 - display lists, 234
 - drawing, 238-239
 - fill rates, 270
 - fog, 275
 - frame rates, 215
 - glDrawPixels(), 249
 - imaging pipeline, 285
 - lighting, 240-243
 - loading, 248
 - loops, 229
 - pixel drawing, 249
 - polygons, 270
 - rasterization on RealityEngine, 283
 - RealityEngine performance, 282
 - rendering data, 226
 - rendering loops, 227
 - texture mapping, 271
 - zooming, 272
- Options menu (ogldebug), 203
- OS/2, 1

- OSF/Motif, 1
 - and Xt, 15
 - See also* widgets, IRIS IM
- osview, 213, 217, 218, 219
- overlays, 58
 - clipped, 63
 - colormaps, 62
 - GLWMDrawingArea widget, 60
 - input events, 63
 - transparency, 59
 - troubleshooting, 62
 - using XRaiseWindow(), 62
 - window hierarchy, 63
- overloaded visuals, 11
- P**
 - packed pixels extension, 125
 - pixel types, 126
 - paging, 216
 - parameters determining performance, 219
 - patterned lines, 269
 - pbuffers, 179
 - and GLXFBConfig, 176
 - preserved, 179, 180
 - volatile, 179
 - volatile, preserved pbuffer, 180
 - PC sampling, 218
 - pdbClose(), 308
 - pdbMeasureRate(), 309
 - pdbOpen(), 306, 307
 - pdb routines, 306
 - pdbWriteRate(), 310
 - perf.c discussion, 251-266
 - perf.c example program, 297
 - performance
 - clearing bitplanes, 246
 - determining parameters, 219
 - estimates, 221
 - estimating, 219
 - influencing factors, 213
 - multisampling, 284
 - penalties with lighting, 240
 - vertex array extension, 151
 - Performance DataBase(pdb) routines, 306
 - performance *See also* low-end systems, mid-range systems, IMPACT systems, RealityEngine
 - per-fragment operations, efficient use, 244
 - per-pixel operations, 212
 - per-polygon operations
 - finding bottlenecks, 212
 - pipeline
 - 3-stage model, 210
 - CPU stage, 210
 - performance factors, 213
 - raster subsystem, 212
 - tuning, 210
 - pixel buffer extension, 179
 - pixel drawing
 - optimizing with framezoom, 273
 - pixel formats
 - using DMA on low-end systems, 272
 - pixelmap (IRIS GL), 291
 - pixel path *See also* imaging pipeline
 - pixel path tuning, 246-248
 - pixels
 - multisampling, 161
 - optimizing drawing, 249
 - transparent, 165
 - pixel storage modes, 101, 126
 - and import context, 169
 - pixel types using packed pixels, 126
 - pixmap, 77, 78
 - and exposing windows, 47
 - and GLXFBConfig, 172, 177

- and pbuffer, 179
- as resources, 13
- creating, 77
- See also* X pixmaps, GLX pixmaps
- pixmode (IRIS GL), 291
- planes
 - overlay, 58
 - popup, 60
- pntsize (IRIS GL), 292
- points
 - and multisampling, 160
 - GL_NICEST smooth hint, 160
- polygon offset extension, 145
 - example program, 146
- polygons
 - antialiasing, 277
 - clean outlines, 145
 - grouping primitives, 239
 - influencing performance, 219
 - large, 236
 - multisampling, 161
 - optimizing, 230, 238, 270
 - optimizing large polygons, 245
 - optimum size, 246
 - RealityEngine, 283
 - reducing number in example program, 264
- polymode (IRIS GL), 292
- polysmooth (IRIS GL), 292
- popup menus, 64
 - code fragment, 65
 - GLWMDrawingArea widget, 64
- popup planes, 60
 - IRIS GL, 292
- porting, xxiv, 80
- porting to Windows NT, 80
- preprocessing
 - introduction, 232
 - meshes, 232
 - vertex loops, 233

- preserved pbuffer, 179
 - buffer clobber event, 182
- primitive length
 - RealityEngine, 282
- prioritizing textures, 95
- prof, 218
 - sample output, 261
- profiler, 261
- projection matrix debugging, 206
- prototyping subroutines
 - in ANSI C, 230
- proxy mechanism, 89
 - example, 90
 - proxy histograms, 135
- PseudoColor visuals, 67, 73, 166, 172

Q

- quad buffer stereo, 75
- quads
 - RealityEngine, 283
- quad strips, 239
 - IMPACT, 277

R

- rasterization
 - optimizing on RealityEngine, 283
- raster subsystem *See* fill-limited code, 212
- readcomponent (IRIS GL), 292
- read drawable, 164
- RealityEngine
 - fast and slow mode changes, 282
 - make current read extension, 165
 - multisampling, 284
 - optimizing performance, 282
 - optimizing rasterization, 283

- optimizing vertex arrays, 284
- polygons, 283
- primitive length, 282
- quads, 283
- transparency, 285
- References menu (ogldebug), 204
- refresh rate of screen, 214
- remote rendering
 - advantage of display lists, 224
 - data traversal, 224
- removing backfacing polygons, 244
- rendering
 - direct and indirect, 79
 - optimizing data, 226
 - optimizing loops, 227
- rendering contexts
 - creating, 22
 - definition, 12
- resident textures, 95
- resize callback, 32, 34, 62
- Resource Manager, 13
- resources, 13, 29
 - definition, 13
 - fallback, 29
 - two meanings of term, 13
 - widget properties, 29
- RGBA mode, 70
 - and GLXFBConfig, 172
- RGBwritemask (IRIS GL), 292
- rightbuffer (IRIS GL), 289
- rotation, 207
- rubber banding, 63
- RunTest(), 251

S

- scene graph, 223, 226

- scissoring, 268
 - on low-end systems, 273
- S compiler option, 237
- screen clear
 - and animation performance, 214
- screen-door transparency, 157, 285
- screen refresh time, 214
- scrolling
 - glCopyPixels(), 272
- separable convolution filter, 131
- setmon command, 76, 293
- setmonitor (IRIS GL), 292
- setting up ogldebug, 196
- setting window properties, 44
- setvideo (IRIS GL), 292
- SGI_color_matrix, 128
- SGI_color_table, 136
- SGI_make_current_read, 164
- SGI_swap_control, 168
- SGI_texture_color_table, 105
- SGI_video_sync, 167
- SGIS_detail_texture, 112
- SGIS_multisample, 154
- SGIS_sharpen_texture, 107
- SGIS_texture_border_clamp, 119
- SGIS_texture_edge_clamp, 119
- SGIS_texture_lod, 121
- SGIS suffix, 6
- SGI suffix, 6
- SGIX_fbconfig, 171
- SGIX_framezoom, 273
- SGIX_interlace, 139
- SGIX_pbuffer, 179
- SGIX_video_source, 183
- SGIX suffix, 6
- shaded lines, 269

- shading, 244, 264
- sharing resources, 13
- sharpen texture, 283
- sharpen texture extension, 107
 - customizing, 109
 - example program, 110
 - magnification filters, 108
- Silicon Graphics X server, 10
- simple lighting model, 240
- single-buffer mode, 215
- single-channel visuals, 176
- single-sided lighting, 240
- Sirius video, 288
- smoke, 238
- smooth shading, 264
- software-supported features (low-end), 268
- source code for examples, 8
- speed considerations, 23
- sphere example, 251-266
- stack trace, 39
- starting ogldbg, 197
- StaticColor visuals, 67, 166, 172
- StaticGray visuals, 67, 166, 172
- static vertex array elements, 152, 154
- stencil buffer, 268
- StencillingIsFast(), 312
- stereo rendering, 74
- strings, 47
- strips, 232
- subimage, 113
- subtexture extension, 96
- subtextures
 - and video, 96
 - NULL image, 97
- swap control extension, 168
- swapinterval (IRIS GL), 168

- swapping buffers, 52
- switch statements, 230
- sync flag, 39

T

- tessellation, 277, 289
- Test(), 251
- tevbnd (IRIS GL), 293
- tevdef (IRIS GL), 293
- texbnd (IRIS GL), 293
- texbnd(IRIS GL), 93
- texdef (IRIS GL), 293
- texdef(IRIS GL), 93
- text handling, 47
- texture border clamp extension, 119
- texture color table extension, 105
- texture coordinate array, 153
- texture coordinates
 - vertex array extension, 153
- textured polygons, 238
- texture edge clamp extensions, 119
- texture extension, 85
 - generating texture names, 94
 - proxy mechanism, 89
- texture generation, 282
- texture images and convolution extension, 131
- texture LOD extension, 121
- texture magnification, 107
- texture mapping, 312
 - mid-range systems, 275
 - optimizing, 271
- TextureMappingIsFast(), 312
- texture memory, 281
- texture object extension, 93
 - and detail texture, 117

- textures
 - IMPACT systems, 278
 - internal format, 85
 - optimizing, 242
 - priorities, 95
 - switching, 242
 - texture wrap modes, 101
 - texturing, 244, 268
 - performance cost, 284
 - See also* textures
 - three-stage model of the graphics pipeline, 210
 - timing
 - background processes, 219
 - glFinish(), 220
 - loops, 220
 - measurements, 218, 219
 - TLB, 216
 - tlutbind (IRIS GL), 295
 - tlutdef (IRIS GL), 295
 - top-level widget, 30
 - trace file, 198
 - GLX calls, 198
 - TRAM, 281
 - transform-limited code
 - finding bottlenecks, 212
 - tuning, 238-243
 - transform rate, 219
 - transforms, optimizing, 271
 - translation-lookaside buffer *See* TLB
 - translations *See* actions and translations
 - transparency, 245
 - RealityEngine, 285
 - transparency in overlays, 59
 - transparent pixels, 42, 165
 - traversal, 28, 38
 - remote rendering, 224
 - traversal of data, 223
 - triangle fans, 239
 - triangle strips, 233, 239, 270
 - on IMPACT, 277
 - troubleshooting
 - IRIS IM input disappears, 38
 - overlays, 62
 - widgets, 37
 - TrueColor visuals, 44, 67, 73, 165, 172
 - tuning
 - advanced, 236-237
 - animations, 214
 - clear, 236
 - display lists, 234-235
 - Elan graphics, 274
 - examining assembly code, 237
 - example program, 251-266
 - Extreme graphics, 274
 - fill-limited code, 243-246
 - fundamentals, 209-222
 - immediate mode, 225-234
 - IMPACT systems, 276-??, 276-282
 - Indigo² XL, 267
 - Indigo Entry, 267
 - Indy, 267-273
 - pipeline, 210
 - pixel path, 246-248
 - reducing frame rate, 214
 - single-buffer mode, 215
 - transform-limited code, 238-243
 - using LOD, 237
 - using textured polygons, 238
 - TV_COMPONENT_SELECT (IRIS GL), 293
 - two-sided lighting, 241
- ## U
- underlay planes, 60
 - unrolling, 228, 234
 - using Xlib, 39

V

- vertex array extension, 151
 - dynamic elements, 152
 - edge flag array, 153
 - optimizing for RealityEngine, 284
 - static elements, 152, 154
 - when to use, 151
- vertex loops
 - preprocessing, 233
- vertical retrace, 214, 236
- video
 - and subtextures, 96
 - dithering, 288
 - interlace extension, 139
 - stereo rendering, 74
- video device control, 293
- video source extension, 183
 - example program, 183
- video sync extension, 167
- virtual key bindings, 37
- visual info extension, 165
 - used in overlay example, 61
- visual rating extension, 167
- visuals, 66, 67
 - and colormaps, 42
 - and contexts, 172
 - choosing, 66
 - colormaps, 66
 - definition, 11
 - for multisampling, 155
 - memory savings, 69
 - mutiple-visual applications, 68
 - OpenGL visual, 11
 - overloaded, 11
 - selecting, 20
 - single-channel, 176
 - single-visual applications, 68
 - visual info extension, 165

- volatile pbuffers, 179, 180
 - buffer clobber event, 182
- volume rendering, 100
 - and texture color table, 105

W

- WhitePixel color macro, 70
- widgets, 14
 - callbacks, 34
 - container, 30
 - definition, 14
 - drawing-area, 28
 - error handling, 31
 - form, 61
 - frame, 61
 - input handling, 34
 - IRIS IM, 14, 15
 - mapping window, 23
 - properties, 29
 - troubleshooting, 37
 - with identical characteristics, 31
 - XmPrimitive, 28
- widget sets, 14
- window manager
 - 4Dwm, 1
- window properties
 - setting, 44
- windows
 - and buffer clobber event, 182
 - as resources, 13
 - mapping, 23
- Windows NT, 1, 80
- window systems
 - NT, 1
 - OS/2, 1
- word-aligned data, 274
- work procedures *See* workprocs

- workprocs, 53
 - adding, 53
 - example program, 54
 - removing, 53
- wrap modes for textures, 101
- write drawable, 164

X

- X
 - bitmap fonts, 48
 - color macros, 70
 - coordinate system, 208
 - fallback resources, 29
 - opening display, 19
 - pixmap, 78
 - resources, 13
 - speed considerations, 23
- XCreateColormap(), 42, 63
- XCreatePixmap(), 78
- XCreateWindow(), 42
- X double buffering extension, 53
- xdpyinfo, 10, 12, 67
- X extensions
 - double buffering, 53
 - GLX, 10
- XGetVisualInfo(), 21, 67
- XID, 13, 169
 - for pbuffer, 180
- X input extension, 45
- XInstallColormap(), 44
- Xlib
 - colormaps, 74
 - event handling, 45
 - example program, 39
- XMapWindow(), 23
- XMatchVisualInfo(), 67

- XmCreateSimplePopupMenu(), 64
- XmPrimitive widget, 28
- XOpenDisplay(), 19
- XRaiseWindow(), 60, 62
- X server
 - provided by Silicon Graphics, 10
- XSetWMColormapWindows(), 44, 62, 71, 73
- XSetWMProperties(), 43
- XSGIvc extension, 75, 288, 293
- XStoreName(), 44
- XSynchronize(), 39
- Xt, 15
- XtAddCallback(), 32
- XtAppAddWorkProc(), 53
- XtCreateManagedChild(), 23
- XtCreateManagedWidget(), 21
- XtOpenApplication(), 19, 29
- XtRealizeWidget(), 23
- XtRemoveWorkProc(), 53
- X visual *See* visuals
- X Window System
 - introduction, 9
 - terminology, 9

Z

- z axis, 206
- zooming
 - optimizing, 272